

Hazard	Who's at risk?	What is the risk?	Control Measures	Risk Rating	Adequate Control Measures?
Over enthusiastic participants	Participants Spectators Operators	Injury	Responsible Adult 18+ supervising at all times.	Low	yes
Jumping off unit	Participants	Injury	Responsible Adult 18+ supervising at all times. Ensure inflatable bed is fully inflated and covers entire fall off area. On any open side the maximum fall-off height should be no greater than 750 mm. Any hard landing surface should be covered by soft landing material such as dense gym mats or equivalent material of at least 25 mm thickness but not more than 125 mm, extending for a distance of at least 1.2 m from the open side. Safety mats used indoors should be fire-resistant.	Low	Yes
Danger of unnecessary injury.	Participants	Injury	Ensure that no one with a history of back or neck problems or who suffers from a heart complaint uses the Inflatable or anyone who is feeling unwell or suffering the effects of alcohol or drugs & Pregnant women may NOT use any equipment at any time.	Low	Yes
Adverse weather conditions.	Weather dependent	Weather dependent	The item will be switched off in heavy rain and is not permitted to run in strong winds as both these conditions can be deemed a health and safety risk.	High	Yes
Trip Hazard, Anchor points, Spare equipment, Electrical cables	Participants Spectators Operators	Injury	Anchor points used as per manufacturers instructions and spare equipment erected safely or stowed away. Where possible electrical cable does not cross any public pathway. In the event of large numbers of participants attending or large events, additional safety fencing is erected, electrical cables will be erected overhead or covered and suitably marked. Large numbers 1000+.	Low	Yes
Larger participants colliding with smaller participants	Participants	Injury	Responsible Adult 18+ supervising at all times.	Low	Yes
Petrol Blower, Generator Risk of fire	Participants Spectators Operators	Injury	Blowers/generators filled with fuel before delivery, units are fire retardant. All spare fuel is stored in suitable marked container, and in a safe location, units switched off during refuelling.	Low	Yes

All information is from the manufacturer's operating instructions and guides, and in accordance with current HSE requirements. All risk assessments should be read alongside our Terms & Conditions. We carry 5 million public liability insurance. Any injuries must be reported to Alpha Events/Alpha Flowers/Alpha Bouncy Castles. Any queries you have involving any of our equipment please contact us on 07752962697/07599489124 or email.